



Film extrusion lines - Blown film - IFLEX 983

1. Description of the Machine and Accessories

Manufacturer: MACCHI

Model: COEX

Year: 1999

Number of layers: 3

Film structure: ABC

Material: LDPE, LLDPE, blend HDPE

Film Width: 1750

Output (Kg/h): 250 kg/h

Extruder 1 Layer ref: : A

Screw diam: 65 mm

Description: Plastex 65/30 D ,Gravimetric system control Gravikontrol

Extruder 2 Layer ref: : B

Screw diam: 80 mm

Description: Plastex 80/30 D, Gravimetric system control Gravikontrol

Extruder 3 Layer ref: : C

Screw diam: 65 mm

Description: Plastex 65/30 D, Gravimetric system control Gravikontrol

Head description: fixed head. Gap 1,4 mm , Cooling ring ASR 3 with double flow.IBC Type Jet 3 cooling control system

Die diam (mm): 400

Take off unit: Rotating ST 199 roto - 1800

Web guide: E+L edge guide system

Rewinder Type: DOUBLE

Rewinder max reel diameter: 1800 mm

Rewinder description: Double automatic winder BO Plus/D 1800 with slitting and cutting knives.

Additional informations: Bubble guide type GSRC 1800/8+6 R ; Water cooling system for extruders ;Ceramic heater for heating separate for 4 zones with infrared heater tape.Barrel cooling by means of 4 independent air fans .Manual screenchanger with lever type.

2. Sales price

Price: EUROS 120.000

3. Terms of delivery


Exworks Incoterms 2000


4. Validity

Machine is subject to prior sale

5. Additional notes

6.Photos







If you are interested in additional informations please contact us

INTERNAVIA SOLUTIONS LLC
1480 SANDPIPER CIRCLE
WESTON 33327 FL USA
Tel: +1 954 261 8338
E - mail : interflexsas@gmail.com
Skype: eenflorida