



Film extrusion lines - Blown film - IFLEX 006

### 1. Description of the Machine and Accessories

Manufacturer: GHIOLDI

Model:

Year: 2007

Number of layers: 3

Film structure: ABC

Film Width: 2400

Extruder 1 Layer ref: : A

Screw diam: 65MM

Description: screen change leverage, ac motor torque make parker, single component gravimetric doser

Extruder 2 Layer ref: : B

Screw diam: 80MM

Description: Screen change hydraulic, ac motor torque make parker, single component gravimetric doser

Extruder 3 Layer ref: : C

Screw diam: 65MM

Description: screen change leverage, ac motor torque make parker, single component gravimetric doser

Head description: lbc con controllo auto, die diam 550, gap 1,8

Die diam (mm): 550

Thickness controll system: Automatic thickness controll k design variocool

Take off unit: rotating

Rewinder Type: DOUBLE

Additional informations:

### 2. Sales price

Price: euro

425.000

### 3. Terms of delivery

Exworks Incoterms 2000

4. Validity

Machine is subject to prior sale

5. Additional notes

6.Photos











If you are interested in additional informations please contact us

INTERNAVIA SOLUTIONS LLC  
1480 SANDPIPER CIRCLE  
WESTON 33327 FL  
Tel: + 1 954 261 8338  
E - mail : [interflexsas@gmail.com](mailto:interflexsas@gmail.com)  
Skype: eenflorida