



Film extrusion lines - Blown film - IFLEX 195

## 1. Description of the Machine and Accessories

Manufacturer: CMG

Model: GALLIA

Year: 2005

Number of layers: 3

Film structure: ABC

Material: LDPE, HDPE, FILM, BIO

Film Width: 1500

Output (Kg/h): 200 kg/h

Extruder 1 Layer ref: : A

Screw diam: 55mm

Description: LD 29 .Doteco gravimetric dosing unit for 3 components

Extruder 2 Layer ref: : B

Screw diam: 55mm

Description: LD 29 .Doteco gravimetric dosing unit for 3 components

Extruder 3 Layer ref: : C

Screw diam: 55mm

Description: LD 29 .Doteco gravimetric dosing unit for 3 components

Head description: Fixed die head with IBC system

Die diam (mm): 225 mm

Take off unit: Rotating haul off 1600 mm

Corona treatment: Cason

Web guide: Yes

Rewinder Type: Double

Rewinder max reel diameter: 1600mm

Rewinder description: Automatic reel change

Additional informations: Thickness film 18-200 my

Chiller Aski

Tower

As optional Thickness controll Doteco year 2010 price 30.000 Euro

## 2. Sales price

Price: EURO 260000 AND 290.000 EURO WITH DOTEKO

### 3. Terms of delivery

Exworks Incoterms 2000

### 4. Validity

Machine is subject to prior sale

### 5. Additional notes

6.Photos

















If you are interested in additional informations please contact us

INTERNAVIA SOLUTIONS LLC  
1480 SANDPIPER CIRCLE  
WESTON 33327 FLORIDA USA

Tel: +1 954 261 8338  
E - mail : [interflexsas@gmail.com](mailto:interflexsas@gmail.com)  
Skype: eenflorida